MATERIAL SAFETY DATA SHEET

PRODUCT NAME : BRUCE NO-WAX PLOOR CLEANER FR

IDENTIFICATION NUMBER: 4P5053 DATE PRINTED: 05/27/99

PRODUCT USE/CLASS : Cleaner

Basic Coatings, Inc. 2124 Valley Drive P.O. Box 677 Des Moines, IA 50303

EMERGENCY TELEPHONE: 800/424-9300

24 Hours

PREPARER: L Morsch, PHONE: 800/247-5471, PREPARE DATE: 02/05/99

		1	EXFOSURE LIMITS			
	acgih		osha		COMPANY	
ITEM	TLV-TWA	TLV-STEL	PEL-TWA	PEL-CRILING	TLV-TWA	SKIN
XQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQ						
44	100					

01 100 ppm 150 ppm 100 ppm 150 ppm NE YES 02 400 ppm 500 ppm 400 ppm N.E. N.E. NO

(See Section 16 for abbreviation legend)

*** EMERGENCY OVERVIEW ***: Causes eye irritation.

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Irritating to the eyes. May aggravate pre-existing eye disorders.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: Causes drying of the skin. May aggravate pre-existing skin disorders.

EFFECTS OF OVEREXPOSURE - INHALATION: Excessive inhalation of vapor may cause headache, dizziness and nausea. May aggravate pre-existing lung disorders.

(Continued on Page 2)

EPPECTS OF OVEREXPOSURE - INGESTION: No Information.

EFPECTS OF OVEREXPOSURE - CHRONIC HAZARDS: No Information.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT INHALATION EYE CONTACT

THE CONTACT: Flush with plenty of water for 15 minutes and

call a physician

FIRST AID - SKIN CONTACT: Wash with soap and water. Apply moisturizing

skin cream.

FIRST AID - INHALATION: If overcome by vapors, remove to fresh air. Trea symptometically and call a physician.

FIRST AID - INGESTION: Consult a physician.

FLASH POINT: 200 F (TAGLIABUE CLOSED CUP)

AUTOIGNITION TEMPERATURE: NA

EXTINGUISHING MEDIA: ALCOHOL FOAM CO2 DRY CHEMICAL FOAM WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode due to build up of steam pressure when exposed to extreme heat.

SPECIAL FIREFIGHTING PROCEDURSS: None.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Contain spill, ventilate area, collect for disposal.

HANDLING: For industry use only. Keep out of reach of children.

STORAGE: Do not store above 120F. Keep containers closed and upright.

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

RESPIRATORY PROTECTION: Not normally needed.

SKIN PROTECTION: Rubber gloves.

EYE PROTECTION: Wear splash goggles

OTHER PROTECTIVE EQUIPMENT. Eye bath.

HYGIEMIC PRACTICES: Wash bands before eating or smoking. Follow all MSDS/label precautions even after container is emptied because container may retain product residues.

BOILING RANGE : 179 - 257 F VAPOR DENSITY : Is heavier than air ODOR : Mald ODOR THRESHOLD : NA

APPEARANCE : Blue EVAPORATION RATE: Is faster than Butyl

SOLUBILITY IN #20 : Soluble Accetate
PREERE POINT : NA SPECIFIC GRAVITY: 0.9949
VAPOR PRESSURE : NA PH @ 0.0 % : NA

PHYSICAL STATE : Liquid VISCOSITY CORPFICIENT OF WATER/OIL DISTRIBUTION: NA

(See Section 16 for abbreviation legend)

: NA

CONDITIONS TO AVOID: None.

INCOMPATIBILITY: None.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

No product or component toxicological information is available.

ECOLOGICAL INFORMATION: No Information.

(Continued on Page 4)

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations. WARNING: Do not incinerate closed containers.

DOT PROPER SHIPPING NAME: Cleaning Compound

DOT TECHNICAL NAME: Not Regulated

DOT HAZARD CLASS: HAZARD SUBCLASS:

DOT UN/NA NUMBER: PACKING GROUP: RESP. GUIDE PAGE:

U.S. FEDERAL REGULATIONS: AS FOLLOWS -

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

CERCLA - SARA HAZARD CATEGORY:

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE HEALTH HAZARD FIRE HAZARD

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

NO SARA Section 313 components exist in this product.

TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No information is available.

U.S. STATE REGULATIONS: AS FOLLOWS -

NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product:

Water CHEMICAL NAME CAS NUMBER 7732-18-5

(Continued on Page 5)

Product: 4P5053 Preparation Date: 02/05/99 SECTION 15 - REGULATORY INFORMATION ----- CHEMICAL NAME CAS NUMBER Cocamidopropyl hydroxy Sultaine Surfacta 70851-08-0 Silicone Emulsion Defoamer 06314-86-29 PENNSYLVANIA RIGHT-TO-KNOW: The following non-hazardous ingredients are present in the product at greater than 3%: ----- CHRMICAL NAME -----CAS NUMBER 7732-18-5 Water CALIFORNIA PROPOSITION 65: WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm: ----- CHEMICAL NAME ----- CAS NUMBER No Proposition 65 chemicals are known to be present in this product. INTERNATIONAL REGULATIONS: AS FOLLOWS -CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings. CANADIAN WHMIS CLASS: No information available.

PLANMABILITY: 1

REACTIVITY: 0

PREVIOUS MSDS REVISION DATE: 05/22/98

HMIS RATINGS - HEALTH: 1

REASON FOR REVISION: Supplier information update.

LEGEND: NA,N/A - Not Applicable, NE,N.E. - Not Established, N.D. - Not Determined